



OBRÓBKA TERMICZNA

Części zamienne do pieców:
ÖZTIRYAKILER



GASTROPARTS Sp. J.

Klonowica 37
87-100 Toruń
tel. +48 56 657 00 68
fax +48 56 657 00 67
gastroparts@gastroparts.pl






heating elements

accessories

sealing washers

O-rings



Part No.	510408	Ref. No.	6228.00001.22 6228.00001.26
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

energy regulators

EGO

1-circuit



Part No.	380019	Ref. No.	6234.00001.11
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		

thermostats

control and safety thermostats

EGO

safety thermostats

55.32_ series



Part No.	390141	Ref. No.	6234.00001.28
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 20A probe ø 6mm probe L 77mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

switches and momentary switches

rocker/momentary rocker switches

ø20mm



Part No.	348204	Ref. No.	6232.00011.01 6232.00011.27
description	rocker switch mounting measurements 20mm green 1CO 250V 4A 0-1		



Part No.	348203	Ref. No.	6232.00011.00 6232.00011.28
description	rocker switch mounting measurements 20mm orange 1CO 250V 4A 0-1		

cam switches

7-position



Part No.	300106	Ref. No.	6254.00005.00
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

operation switches




Part No.	300002	Ref. No.	6254.00005.04
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



magnetic switches

miscellaneous





1			
Part No.	347961	Ref. No.	6232.00005.10
description	magnetic switch 250V 3A P max. 750W 1NO connection cable L 12mm cable length 1000mm L1 37mm mounting measurements 58x13mm H 9mm mounting distance 49.5mm voltage AC nominal 5A		
For models:	OBK1500		
accessories for	347961		
	Part No.	699294	Ref. No.
	magnet ø 20.8mm H 12.5mm ID ø 5mm with screw		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1			
Part No.	359718	Ref. No.	62600016006
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359718		
	Part No.	359701	Ref. No.
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	Part No.	359740	Ref. No.
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		

control equipment

MOELLER/EATON

switch blocks



1			
Part No.	346292	Ref. No.	6232.00012.05
description	contact block screw 1NO		



1			
Part No.	346293	Ref. No.	6232.00012.07
description	contact block holder triple		

timers

mechanical timers



1			
Part No.	350205	Ref. No.	6259.00002.05
description	timer M11 with bell 1-pole operation time 90min impulse mechanical 1NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 25mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm		
For models:	OM20G, OM40G, OM60G		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket



1			
Part No.	360649	Ref. No.	6251.00004.10
description	indicator light ø 10mm green 240V cable length 300mm		

contactors

MOELLER/EATON

power contactors








1			
Part No.	380171	Ref. No.	6230.00014.12
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type DILEM 10		



relays


plug-in/print relays

			
1			
Part No.	380333	Ref. No.	6231.00020.02 6231.00023.15 6231.00025.07
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
For models:	OBK1500		
accessories for	380333		
	Part No.	380340	Ref. No. —
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5		
	Part No.	380505	Ref. No. —
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3		
	Part No.	381181	Ref. No. —
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75		

solenoid valves

solenoid valves (water)

ELTEK

		1	
Part No.	370750	Ref. No.	6262.00008.00
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 t.max. 90°C ELTEK plastic flow regulating valve inlet blue		
For models:	OBK1500		

fans

hot air motors

		1	
Part No.	601503	Ref. No.	5FIR.35011.12
description	fan wheel D1 ø 350mm H1 125mm blades 12 D2 ø 13mm D3 ø 16mm		
accessories for	601503		
	Part No.	500505	Ref. No. —
	fan motor 220-240/380-415V 3 phase 50/60Hz 0.16-0.26kW 1440/1700rpm speeds 2 L1 140mm L2 27mm L3 35mm M10R IT 1.2/0.7A Cos(fi) 0.63 type L7zAw4D-014 D1 ø 17mm D2 ø 13mm		

pumps

drain pumps

ASKOLL

		1	
Part No.	499315	Ref. No.	6262.00016.00
description	drain pump inlet ø 24/30/35/39mm outlet ø 22/31mm 230V 40W 50Hz ASKOLL type M231 XP kit		

gas thermostats

PEL

25ST series




		1	
Part No.	101172	Ref. No.	90991011720 9PEL.10117.20
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
spare parts for	101172		
	Part No.	100259	Ref. No. —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	Part No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		

Table continues overleaf



spare parts for 101172			
	Part No.	106200	Ref. No. —
nut thread M9x1 suitable for PEL 24/25S			
accessories for 101172			
	Part No.	100908	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	Part No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	Part No.	101246	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	Part No.	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	Part No.	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	Part No.	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	Part No.	101450	Ref. No. —
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	Part No.	101451	Ref. No. —
union nut thread M16x1.5 tube ø 8mm			
	Part No.	110079	Ref. No. —
knob dial plate gas thermostat 1-8 silver			
	Part No.	110081	Ref. No. —
knob ø 70mm shaft ø 8x6.5mm shaft flat universal			


gas valves and ignition boxes


gas control valves

HONEYWELL



1

Part No.	106004	Ref. No.	6267.00005.30
description	gas valve type VK4105C 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type pressure controller type V5306E 1234 1 suitable for HONEYWELL flange 32x32mm		
accessories for 106004			
	Part No.	102845	Ref. No. —
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			

accessories for 106004			
	Part No.	102846	Ref. No. —
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			

ignition boxes

HONEYWELL



1

Part No.	102343	Ref. No.	6259.00020.061
description	ignition box HONEYWELL type S4565A 2019 1 electrodes 2 waiting times safety time 10s 220-240V 4VA 50/60Hz		

ignition parts

pilot burners

SIT

100 series



1














Part No.	106907	Ref. No.	6267.00023.07
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for 106907			
	Part No.	100246	Ref. No. —
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	Part No.	100855	Ref. No. —
pilot burner bracket triple			
	Part No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	Part No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	Part No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	Part No.	100918	Ref. No. —
screw for pilot burner			
	Part No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			


Table continues overleaf



spare parts for	106907		
	Part No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ϕ 0.35mm		
accessories for	106907		
	Part No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ϕ 0.2mm Qty 1 pcs thread M8x0.75		
	Part No.	100904	Ref. No. —
	locking screw M10x1 for pipe ϕ 4mm Qty 1 pcs		
	Part No.	100905	Ref. No. —
	locking screw M10x1 for pipe ϕ 6mm Qty 1 pcs		
	Part No.	102110	Ref. No. —
	pilot tube copper pipe ϕ 4mm thickness 1mm L 3000mm		
	Part No.	102111	Ref. No. —
	pilot tube copper pipe ϕ 6mm thickness 1mm L 3000mm		
	Part No.	107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore ϕ 0.25mm Qty 1 pcs		
	Part No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ϕ 0.25mm		
	Part No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ϕ 0.2mm		

ignition cables


pre-assembled cables

	1		
Part No.	100140	Ref. No.	6267.00031.01
description	ignition cable cable length 400mm connection ϕ 2.4mm / ϕ 4mm		

fittings for catering equipment

drain taps

accessories



	1		
Part No.	540222	Ref. No.	6228.00059.60
description	O-ring EPDM thickness 2.62mm ID ϕ 47.3mm Qty 1 pcs		

gaskets



O-rings

EPDM

ϕ 2.62mm

		1	
Part No.	540222	Ref. No.	6228.00059.60
description	O-ring EPDM thickness 2.62mm ID ϕ 47.3mm Qty 1 pcs		

ϕ 5.34mm

		1	
Part No.	510408	Ref. No.	6228.00001.22 6228.00001.26
description	O-ring EPDM thickness 5.34mm ID ϕ 47mm Qty 1 pcs		



www.gastroparts.pl



GASTROPARTS Sp. J.

Klonowica 37
87-100 Toruń
tel. +48 56 657 00 68
fax +48 56 657 00 67
gastroparts@gastroparts.pl

